

IxChariot

Summary - C:\Users\Brian Dipert\Documents\My Dropbox\AnandTech\Powerline networking\IxChariot\NETGEAR1901\UDP\2 to 4 (Quad)\2to4UDPQuad.tst

Console version	7.10 SP4
Console build level	207
Console product type	IxChariot Eval
Filename	C:\Users\Brian Dipert\Documents\My Dropbox\AnandTech\Powerline networking\IxChariot\NETGEAR1901\UDP\2 to 4 (Quad)\2to4UDPQuad.tst
Run start time	Monday, August 08, 2011, 7:51:47 AM
Run end time	Monday, August 08, 2011, 7:51:50 AM
Elapsed time	00:00:03
How the test ended	Ran to completion
Number of pairs	4

Run Options

End type	Run until any pair ends
Reporting type	Real-time
Automatically poll endpoints	Yes
Polling interval (minutes)	1
Stop run upon initialization failure	Yes
Connect timeout during test (minutes)	0
Stop test after this many running pairs fail	1
Collect endpoint CPU utilization	No
Collect TCP statistics	No
Allow pair reinitialization for setup	No
Maximum number of setup reinitializations	3
Setup reinitialization wait interval (milliseconds)	10
Allow pair reinitialization at runtime	No
Maximum number of runtime reinitializations	3
Runtime reinitialization wait interval (milliseconds)	10
Validate data upon receipt	No
Use a new seed for random variables on every run	Yes
Datagram window size (bytes)	1500
Datagram retransmission timeout (milliseconds)	200
Datagram number of retransmits before aborting	50
Receive Timeout (milliseconds)	10000
Time To Live (Hops)	32
Low sender jitter	No
Use RTP extended headers	No
Enable Ixia hardware timestamps	Yes
Clock synchronization	'Endpoint synchronization'
Console Service Quality	
Endpoint Service Quality	
Number of Overlapped Sends	4


Test Execution (Endpoint 1 to Endpoint 2)

Group/ Pair	Endpoint 1	Endpoint 2	Network Protocol	Endpoint 1 Service Quality	Endpoint 2 Service Quality	Script/Stream Name
All Pairs						
Pair 1	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 2	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 3	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 4	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr

Throughput

Group/ Pair	Average (Mbps)	Minimum (Mbps)	Maximum (Mbps)	Throughput 95% Confidence Interval	Measured Time (secs)	Relative Precision
All Pairs	83.013	13.724	37.197			
Pair 1	20.958	16.638	26.923	3.126	2.178	14.915
Pair 2	21.352	15.169	37.197	6.954	2.257	32.568
Pair 3	21.716	13.724	32.088	5.385	2.202	24.799
Pair 4	20.481	17.538	26.912	2.446	2.264	11.944
Totals:	83.013	13.724	37.197			

Throughput



--

Lost Data

Group/ Pair	Bytes Sent by E1	Bytes Received E2 (Streaming)	Bytes Lost from E1 to E2	Percent Bytes Lost E1 to E2	E1 Throughput (Mbps)	Maximum Consecutive Lost Datagrams	Measured Time (secs)	Relative Precision
All Pairs	292,000,000	23,503,080	268,496,920	91.951		n/a		
Pair 1	73,000,000	5,705,680	67,294,320	92.184	268.136	n/a	2.178	14.915
Pair 2	73,000,000	6,023,960	66,976,040	91.748	258.751	n/a	2.257	32.568
Pair 3	73,000,000	5,977,240	67,022,760	91.812	265.213	n/a	2.202	24.799
Pair 4	73,000,000	5,796,200	67,203,800	92.060	257.951	n/a	2.264	11.944
Totals:	292,000,000	23,503,080	268,496,920	91.951		n/a		

Datagram (Endpoint 1)

Group/ Pair	Total Datagrams Sent by E1	Duplicate Datagrams Sent by E1	Total Datagrams Received by E1	Duplicate Datagrams Received by E1	Datagrams Lost, E1 to E2
All Pairs	200,000	n/a	n/a	n/a	183,902
Pair 1	50,000	n/a	n/a	n/a	46,092
Pair 2	50,000	n/a	n/a	n/a	45,874
Pair 3	50,000	n/a	n/a	n/a	45,906
Pair 4	50,000	n/a	n/a	n/a	46,030
Totals:	200,000	n/a	n/a	n/a	183,902

Datagram (Endpoint 2)

Group/ Pair	Total Datagrams Sent by E2	Duplicate Datagrams Sent by E2	Total Datagrams Received by E2	Duplicate Datagrams Received by E2	Datagrams Lost, E2 to E1	Datagrams Out of Order
All Pairs	n/a	n/a	16,098	n/a	n/a	n/a
Pair 1	n/a	n/a	3,908	n/a	n/a	n/a
Pair 2	n/a	n/a	4,126	n/a	n/a	n/a
Pair 3	n/a	n/a	4,094	n/a	n/a	n/a
Pair 4	n/a	n/a	3,970	n/a	n/a	n/a
Totals:	n/a	n/a	16,098	n/a	n/a	n/a

