

IxChariot

Summary - C:\Users\Brian Dipert\Documents\My Dropbox\AnandTech\Powerline networking\IxChariot\NETGEAR1901\UDP\3 to 2 (Quad)\3to2UDPQuad.tst

Console version	7.10 SP4
Console build level	207
Console product type	IxChariot Eval
Filename	C:\Users\Brian Dipert\Documents\My Dropbox\AnandTech\Powerline networking\IxChariot\NETGEAR1901\UDP\3 to 2 (Quad)\3to2UDPQuad.tst
Run start time	Monday, August 08, 2011, 7:42:25 AM
Run end time	Monday, August 08, 2011, 7:42:28 AM
Elapsed time	00:00:03
How the test ended	Ran to completion
Number of pairs	4

Run Options


End type	Run until any pair ends
Reporting type	Real-time
Automatically poll endpoints	Yes
Polling interval (minutes)	1
Stop run upon initialization failure	Yes
Connect timeout during test (minutes)	0
Stop test after this many running pairs fail	1
Collect endpoint CPU utilization	No
Collect TCP statistics	No
Allow pair reinitialization for setup	No
Maximum number of setup reinitializations	3
Setup reinitialization wait interval (milliseconds)	10
Allow pair reinitialization at runtime	No
Maximum number of runtime reinitializations	3
Runtime reinitialization wait interval (milliseconds)	10
Validate data upon receipt	No
Use a new seed for random variables on every run	Yes
Datagram window size (bytes)	1500
Datagram retransmission timeout (milliseconds)	200
Datagram number of retransmits before aborting	50
Receive Timeout (milliseconds)	10000
Time To Live (Hops)	32
Low sender jitter	No
Use RTP extended headers	No
Enable Ixia hardware timestamps	Yes
Clock synchronization	'Endpoint synchronization'
Console Service Quality	
Endpoint Service Quality	
Number of Overlapped Sends	4

Test Execution (Endpoint 1 to Endpoint 2)

Group/ Pair	Endpoint 1	Endpoint 2	Network Protocol	Endpoint 1 Service Quality	Endpoint 2 Service Quality	Script/Stream Name
All Pairs						
Pair 1	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 2	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 3	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr
Pair 4	10.0.1.141	10.0.1.140	UDP			UDP_Throughput.scr

Throughput

Group/ Pair	Average (Mbps)	Minimum (Mbps)	Maximum (Mbps)	Throughput 95% Confidence Interval	Measured Time (secs)	Relative Precision
All Pairs	76.436	4.918	28.213			
Pair 1	20.043	4.918	27.943	1.804	2.697	9.000
Pair 2	19.043	9.092	27.810	4.996	2.714	26.233
Pair 3	19.135	12.429	25.502	2.991	2.715	15.633
Pair 4	20.031	7.688	28.213	3.249	2.484	16.219
Totals:	76.436	4.918	28.213			



Lost Data

Group/ Pair	Bytes Sent by E1	Bytes Received E2 (Streaming)	Bytes Lost from E1 to E2	Percent Bytes Lost E1 to E2	E1 Throughput (Mbps)	Maximum Consecutive Lost Datagrams	Measured Time (secs)	Relative Precision
All Pairs	292,000,000	25,931,060	266,068,940	91.119		n/a		
Pair 1	73,000,000	6,756,880	66,243,120	90.744	216.537	n/a	2.697	9.000
Pair 2	73,000,000	6,460,500	66,539,500	91.150	215.181	n/a	2.714	26.233
Pair 3	73,000,000	6,494,080	66,505,920	91.104	215.101	n/a	2.715	15.633
Pair 4	73,000,000	6,219,600	66,780,400	91.480	235.105	n/a	2.484	16.219
Totals:	292,000,000	25,931,060	266,068,940	91.119		n/a		

Datagram (Endpoint 1)

Group/ Pair	Total Datagrams Sent by E1	Duplicate Datagrams Sent by E1	Total Datagrams Received by E1	Duplicate Datagrams Received by E1	Datagrams Lost, E1 to E2
All Pairs	200,000	n/a	n/a	n/a	182,239
Pair 1	50,000	n/a	n/a	n/a	45,372
Pair 2	50,000	n/a	n/a	n/a	45,575
Pair 3	50,000	n/a	n/a	n/a	45,552
Pair 4	50,000	n/a	n/a	n/a	45,740
Totals:	200,000	n/a	n/a	n/a	182,239

Datagram (Endpoint 2)

Group/ Pair	Total Datagrams Sent by E2	Duplicate Datagrams Sent by E2	Total Datagrams Received by E2	Duplicate Datagrams Received by E2	Datagrams Lost, E2 to E1	Datagrams Out of Order
All Pairs	n/a	n/a	17,761	n/a	n/a	n/a
Pair 1	n/a	n/a	4,628	n/a	n/a	n/a
Pair 2	n/a	n/a	4,425	n/a	n/a	n/a
Pair 3	n/a	n/a	4,448	n/a	n/a	n/a
Pair 4	n/a	n/a	4,260	n/a	n/a	n/a
Totals:	n/a	n/a	17,761	n/a	n/a	n/a

